



Product Service

CERTIFICATE

No. U6 16 03 46839 120

Model(s): Series ME, Class I, 75/100 W
Further models see attachment**Brand Name:** MOONS'**Parameters:**
Rated voltage: 200-240 V~
Rated frequency: 50/60 Hz
Protection class: I
Classification: independent
Type of output: constant current type
Degree of protection: IP67

More Parameters: see attachment**Tested according to:** EN 61347-2-13:2014
EN 61347-1:2008/A2:2013
EN 62384:2006/A1:2009**Production Facility(ies):** 46839



Further models and parameters

serie	Model	insulation		Output voltage	Output current	U-out	Output power
75W	ME075M105AQ_CP	SELV	I	43-107VDC	700-1050 mA	119VDC	75W
	ME075M150AQ_CP	SELV	I	30-75VDC	1000-1500 mA	98VDC	75W
	ME075M210AQ_CP	SELV	I	21-54VDC	1400-2100 mA	70VDC	75W
	ME075M300AQ_CP	SELV	I	15-38VDC	2000-3000 mA	49VDC	75W
	ME075M420AQ_CP	SELV	I	11-27VDC	2800-4200 mA	35VDC	75W
	ME075M105AQ_0-10V	SELV	I	43-107VDC	700-1050 mA	119VDC	75W
	ME075M150AQ_0-10V	SELV	I	30-75VDC	1000-1500 mA	98VDC	75W
	ME075M210AQ_0-10V	SELV	I	21-54VDC	1400-2100 mA	70VDC	75W
	ME075M300AQ_0-10V	SELV	I	15-38VDC	2000-3000 mA	49VDC	75W
	ME075M420AQ_0-10V	SELV	I	11-27VDC	2800-4200 mA	35VDC	75W
	ME075M105AQ	SELV	I	43-107VDC	700-1050 mA	119VDC	75W
	ME075M150AQ	SELV	I	30-75VDC	1000-1500 mA	98VDC	75W
	ME075M210AQ	SELV	I	21-54VDC	1400-2100 mA	70VDC	75W
	ME075M300AQ	SELV	I	15-38VDC	2000-3000 mA	49VDC	75W
	ME075M420AQ	SELV	I	11-27VDC	2800-4200 mA	35VDC	75W
100W	ME100M105AQ_CP	Non-SELV	I	57-143VDC	700-1050 mA	160VDC	100W
	ME100M150AQ_CP	SELV	I	40-100VDC	1000-1500 mA	115VDC	100W
	ME100M210AQ_CP	SELV	I	29-71VDC	1400-2100 mA	82VDC	100W
	ME100M320AQ_CP	SELV	I	20-50VDC	2000-3200 mA	60VDC	100W
	ME100M480AQ_CP	SELV	I	13-33VDC	3000-4800 mA	42VDC	100W
	ME100M105AQ_0-10V	Non-SELV	I	57-143VDC	700-1050 mA	160VDC	100W
	ME100M150AQ_0-10V	SELV	I	40-100VDC	1000-1500 mA	115VDC	100W
	ME100M210AQ_0-10V	SELV	I	29-71VDC	1400-2100 mA	82VDC	100W
	ME100M320AQ_0-10V	SELV	I	20-50VDC	2000-3200 mA	60VDC	100W
	ME100M480AQ_0-10V	SELV	I	13-33VDC	3000-4800 mA	42VDC	100W
	ME100M105AQ	Non-SELV	I	57-143VDC	700-1050 mA	160VDC	100W
	ME100M150AQ	SELV	I	40-100VDC	1000-1500 mA	115VDC	100W
	ME100M210AQ	SELV	I	29-71VDC	1400-2100 mA	82VDC	100W
	ME100M320AQ	SELV	I	20-50VDC	2000-3200 mA	60VDC	100W
	ME100M480AQ	SELV	I	13-33VDC	3000-4800 mA	42VDC	100W

Munich. 2016-03-21


Alexander Depre